




This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
A	-103 ADDED TWO MISSING ENGRAVE NOTES.	5/14/2014	RJC	RJC



SECTION A-A

**NOTE:**



1. REF: AGUSTA T/N 895-3101-26-101.
2. PART OF KIT RBW895-3101-29-107.

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-103	1	PLUG	01	Ø1-1/2 X 2-1/8	2
			-105	1	BASE	01	Ø2-3/8 X 2-1/8	3
			-107	1	PIN	01	Ø1/2 X 3-5/8	4


<b>RED BARN MACHINE</b>	
TITLE <b>TOOL ASSY, BEARING INSTL</b>	
DWG NO. <b>RBW895-3101-26-101</b>	REV <b>A</b>
MAT'L	DRAWN BY: <b>SMITH</b>
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .005      FRACTIONS ± 1/32 .XX ± .01        ANGLES ± 5° .X ± .1	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE <b>1:2</b>	DATE <b>9/4/2013</b>
SHEET 1 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
A	-103 ADDED TWO MISSING ENGRAVE NOTES.	5/14/2014	RJC	RJC



SECTION B-B  
SCALE 1 : 1




(-103)  
PLUG

RED BARN MACHINE	
TITLE TOOL ASSY, BEARING INSTL	
DWG NO. RBW895-3101-26-103	REV A
MAT'L 01	DRAWN BY: SMITH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX $\pm .005$	HEAT TREAT RC 40-45
.XX $\pm .01$	FINISH CAD PLATE YELLOW
.X $\pm .1$	SPEC QQ-P-416F, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109, AW119
SCALE 1:2	DATE 9/4/2013
SHEET 2 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED




ENGRAVE T/N, S/N,  
"MADE IN USA"

-105

BASE




SECTION C-C  
SCALE 1 : 1



<b>RED BARN MACHINE</b>	
TITLE <b>TOOL ASSY, BEARING INSTL</b>	
DWG NO. <b>RBW895-3101-26-105</b>	REV <b>A</b>
MAT'L 01	DRAWN BY: SMITH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT RC 40-45
.XX ± .01	FINISH CAD PLATE YELLOW
.X ± .1	SPEC QQ-P-416F, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109, AW119
SCALE 1:2	DATE 9/4/2013
SHEET 3 OF 4	


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



-107

PIN

 <b>RED BARN MACHINE</b>	
<b>TITLE</b> TOOL ASSY, BEARING INSTL	
<b>DWG NO.</b> RBW895-3101-26-107	<b>REV</b> A
<b>MAT'L</b> 01	<b>DRAWN BY:</b> SMITH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005      FRACTIONS ± 1/32 .XX ± .01      ANGLES ± 5° .X ± .1	<b>APPROVED</b> <i>D Weil</i> <b>HEAT TREAT</b> RC 40-45 <b>FINISH</b> CAD PLATE YELLOW <b>SPEC</b> QQ-P-416F, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	<b>USED ON MODEL</b> AW109, AW119
<b>SCALE</b> 1:2	<b>DATE</b> 9/4/2013
<b>SHEET 4 OF 4</b>	